Emerging Plant Pathogens and Pests

Prevention, Preparedness and Priorities




Jacqueline Fletcher President, APS

Doug Luster
Chair, APS *ad hoc* Emerging Diseases and Pathogens Committee


Plant diseases are incited by a variety of microbes...

Viruses



Fungi





Bacteria



Nematodes



"If a pest <u>can</u> enter the United States, over time, it <u>will</u> find a way here."

Crop vulnerability

- U.S. agriculture is <u>vulnerable</u> to emerging pathogens and pests
- About 65% of U.S. crop losses are due to introduced pathogens, costing \$137 billion/year

 What is needed to assure the security of crops and natural resources?

- Research
- Infrastructure

Crop vulnerability, continued



Plum pox virus

Crops, forests and rangeland cover 1
billion acres; to see something new at its
early stages is "like spotting a needle in a
haystack"

 Long periods between pathogen introduction, detection and identification, and response

Introduced species

- Some insects and pathogens are introduced intentionally, others unintentionally
- 550 of the 2000 known, potentially damaging 'exotic' plant pathogens pose <u>significant new risks</u> to U.S. agriculture



Case #1. Citrus canker in Florida: It's not just a question of juice



Citrus canker

Citrus is an \$8.5 billion industry in Florida

Threat: Serious epidemic of citrus canker

Problem: Diagnostics must differentiate canker vs. non-canker bacteria

Citrus canker: monitoring movement and rate of spread

Disease spread:

1995: Discovered near Miami airport


Likely from an accidental introduction on illegal citrus cuttings in 1993

Now affects > 1000 mi² of urban area and orchards

<u>Cooperative</u> <u>management program</u>:

FL. Dept. of Agriculture & Consumer Services

USDA-APHIS



Citrus canker management: eradication of diseased trees and trees within a certain radius





Goal: eradication


Successful in the past and considered possible again

Growers are in favor, but homeowners are resisting.



Gottwald et al. 2002.

Citrus canker: eradication facts and issues



 Cost: so far, over \$200 million to destroy 10 million trees

Disease is still spreading

Case #2. Pierce's disease of grapes: California vineyards brace for sharpshooter



Grapevine symptoms



Glassy-winged sharpshooter

Threat: To California's \$2.8 billion wine, table and raisin grape industry

-Over 700,000 vineyard acres at risk

<u>History</u>:

- -Bacterial disease in California since 1880s
- -<u>Vector</u>: small, weak blue-green sharpshooter
- -<u>Current epidemic:</u> new, aggressive, introduced vector, the glassy-winged sharpshooter

Pierce's disease management: a coordinated, well-funded, multi-faceted approach

The team:

State, federal, academic, private and commodity groups - coordinated

The strategies - targets:

Insect vector

Bacterial pathogen

Plant host

The funding:

17 different agencies



Cane symptoms

Case #3. Soybean rust: are we ready for it?

Rust symptoms on leaf



Photos: G.L. Hartman

U.S. production area: 75 billion acres

Crop value: \$13 billion

History of rust disease:

-Long history in Asia

-Yield losses 10-30% common (U.S. equivalent = \$4 billion), and >90% occasional

-Spread Asia - Africa - Brazil within last decade

Threat to the U.S.:

"It's not a question of if but of when."

Can we pre-empt soybean rust with a national plan?

The plan must include:

1. Early detection

National surveillance

Rapid diagnostics

2. Rapid response

Advisories

Control/management

Spores of the rust fungus



What is needed to protect U.S. crops against plant pathogen and pest invaders?



- 1. Find better ways to <u>prevent</u> pathogen/pest introduction and movement
- 2. Support new research initiatives in:

Detection, diagnostics, and forensics

Pathogen/pest biology and epidemiology

Disease prevention and control

3. Make infrastructural changes to enhance capabilities

Research needs





- 1. Sequences of most threatening plant pathogens for:
 - Detection rapid, reliable; use novel sequences
- Forensics trace origin and timing of initial infection
- <u>Identification</u> identify pathogen, differentiate isolates

We need new tools that are easy and fast!

Research needs



Risk-assessment
 more-effective procedures
 more trained personnel
 more international cooperation

3. Disease management new control measures

Infrastructure needs

Network of plant disease and pest diagnostic laboratories

Central coordinating body ("CDC-like" center)

 Coordinated network of professional societies, private industry, grower groups, state and national government entities



The bottom line

U.S. crops, forests and rangelands <u>are vulnerable</u> to introduced pathogens and pests - intentional or not.

Investments in research and infrastructure are critically needed to protect these resources and respond rapidly and appropriately to the threat of introduced agents.

